

MONTGOMERY TOWNSHIP SCHOOLS
Skillman, New Jersey

SCHOOL HEALTH SERVICES

Student's Name: _____ Date of Birth: _____
(Please Print)

Gender: Male / Female (circle one)

My child previously attended a Montgomery Twp. School? Yes / No (circle one)

If yes, circle last school attended OHES VES LMS UMS MHS

HEALTH HISTORY

Has Your Child Had:	NO	YES	YEAR
Chicken Pox			
Heart Problems			
Kidney Problems			
Bladder Problems			
Asthma			
Bronchitis			
Strep Infection			
Mononucleosis			
Diabetes			
Convulsions			
Hepatitis			
Rheumatic Fever			
Pneumonia			

Does your Child Have:	YES/TYPE	NO
Congenital Defects		
Drug Sensitivities		
Neuromuscular Disease		
Speech Problems		
Vision Problems		
Eyeglasses		
Hearing Problems		

Has your child had:	If yes, description and date.
Any severe injury?	
Any operations?	

Initial the statement that applies to your child:

_____ My child does **not** have a life-threatening allergy requiring the use of epinephrine.

_____ My child has a life-threatening allergy requiring the use of epinephrine.

Please complete the Life-Threatening Allergy Questionnaire on the following page.

Parent/Guardian Signature: _____ Date: _____

**PLEASE COMPLETE THE
NEXT TWO FORMS ONLY
IF YOUR CHILD HAS ANY
LIFE-THREATENING
ALLERGIES.**

Life-Threatening Allergy Questionnaire

Complete this form only if your child has a life-threatening allergy and is entering grades:
Pre-K, Kindergarten - 4

Student's Name: _____ For School Year: _____

Date of Birth: _____ My Child will be in the following grade during the School Year indicated above: _____

1. List only life-threatening allergens (food and non-food):

2. Does your child have a prescribed epinephrine auto-injector? Yes* No

**A health care provider completed Montgomery Township School District Emergency Allergy Action Plan (EAAP) is required if your child has a life-threatening allergy indicating the use of epinephrine in school. This EAAP and other forms can be obtained through your child's school nurse. Forms must be renewed every school year.*

3. Will your child carry an epinephrine auto-injector in their backpack in addition to the one kept in the health office? Yes* No Refer to the 'Capacity for self-administration of epinephrine' section on the EAAP for an explanation of carrying options. **Your child's health care provider must check either the 1st or 2nd option for authorization to carry. Please note, if your child carries a set of epinephrine auto-injectors in their backpack, you must also provide another set to keep in the health office for emergency use during the school day.*

4. Regarding lunch, check only one option (questions 4 & 5 applicable only for grades 1-4)

My child may purchase school-prepared lunch. Parents should review the Chartwell menu in advance of a student's purchase. Refer to the OHES or VES websites under 'Lunch Menu' selection for more information. School and cafeteria staff will not make any determination of food safety as related to life-threatening allergies. Food allergen questions should be directed to Ms. Pat Kurczewski, Director of Dining Services, at 609-466-7602 ext 6510, or via email at chartwells@mtsd.us

My child is not allowed to purchase school-prepared lunch; I will provide daily lunch from home.

5. During lunch, my child must* sit at: (check only one)

No seating restriction **Nut-free table** **Nut & liquid dairy-free table**

*Students with a completed EAAP, current for the school year, are allowed to sit at the nut & dairy-free tables. The lunchroom aides are informed of students with life-threatening allergies & will monitor for compliance. *If 'No seating restriction' is checked, and your child has an EAAP, they may sit at one of the nut & dairy-free tables whenever desired. If you check one of the nut & liquid dairy-free tables, your child will be required to sit at that assigned table. Please contact your child's school nurse if you want to change your child's cafeteria seating during the year.*

6. Does your child have asthma? Yes No

a. If yes, will you provide an inhaler to keep at school? Yes* No

** As per: N.J.S.A. 18A:40-12.8, a health care provider completed NJ Asthma Treatment Plan is required if your child uses an inhaler during school, even if they are not diagnosed with asthma. See school nurse for this form.*

Parent/Guardian Signature: _____ Date: _____


The following to be completed by School Nurse:

IHP completed: <input type="checkbox"/> Yes <input type="checkbox"/> No	Epinephrine received: <input type="checkbox"/> Yes <input type="checkbox"/> No	Genesis/Cafe note updated: <input type="checkbox"/> Yes <input type="checkbox"/> No
IHP signed by parent: <input type="checkbox"/> Yes <input type="checkbox"/> No	EAAP received: <input type="checkbox"/> Yes <input type="checkbox"/> No	Transportation notified: <input type="checkbox"/> Yes <input type="checkbox"/> No

Notes _____

EMERGENCY ALLERGY ACTION PLAN

School Year: _____



Student Name: _____ Date of Birth: _____

Allergic to (list allergens that may cause anaphylaxis):

Teacher: _____ Home Room: _____ Grade: _____

Healthcare Provider- Complete, Initial Capacity Statements, Sign, Date, & Stamp:


Current Weight: _____ Epinephrine Auto-Injector Dose: 0.15 mg (Jr) 0.3 mg (Adult)

Antihistamine (drug/dose): _____

History of Asthma or Reactive Airway: No Yes Bronchodilator (drug/dose): _____

Capacity for self-administration of epinephrine (Healthcare provider- initial box next to applicable statement(s):
You may select a combination of options. If for any reason the student cannot self-administer, the school nurse, or delegate will give epinephrine. Delegates are not authorized by NJDOE to administer antihistamines or bronchodilators.

- Student will carry and self-administer epinephrine.
- Student will carry, but cannot self-administer.
- Student's epinephrine is kept in the health office for administration by the school nurse or delegate.



Healthcare Provider Signature: _____ Date: _____

Parent/Guardian- Review Statements, Sign, Date, & Complete:

**Each school year, you must provide the school nurse with all unexpired emergency medication(s) ordered by your child's healthcare provider along with an updated Emergency Allergy Action Plan. Your child will not be permitted to participate in athletics, day or overnight off-campus trips, and school sponsored events without their medication(s), and an Emergency Allergy Action Plan on file in the health office.*

I understand that in the event of an anaphylactic emergency, epinephrine will be administered to my child by a school nurse or delegate as indicated in this Emergency Allergy Action Plan. My signature indicates acknowledgement that the Montgomery Township School District, and its employees or agents, shall have no liability as a result of any injury arising from the administration of epinephrine to my child. I shall indemnify and hold harmless the district and its employees or agents against any claims arising out of the administration of epinephrine via a pre-filled auto injector mechanism.

Parent/Guardian Signature: _____ Date: _____

Parent/Guardian/Emergency Contact Information: Please print legibly all contact names and phone numbers in order of priority.

1. _____	_____	_____
Name (print clearly)	Preferred Phone	Alternate Phone
2. _____	_____	_____
Name (print clearly)	Preferred Phone	Alternate Phone
3. _____	_____	_____
Name (print clearly)	Preferred Phone	Alternate Phone

IDENTIFY SYMPTOMS → INJECT EPINEPHRINE → CALL 911

SEVERE SYMPTOMS

One or more of the following:

- LUNG: Short of breath, wheeze, repetitive cough
- HEART: Pale, Blue, Faint, weak pulse, dizzy
- THROAT: Tight, hoarse, trouble swallowing or breathing
- MOUTH: Obstructive swelling (tongue and /or lips)
- SKIN: Many hives over body
- GUT: Vomiting, diarrhea, crampy pain
- OTHER: Anxiety, confusion, feeling of unease

Or a **Combination** of symptoms from different body areas




1. **INJECT EPINEPHRINE IMMEDIATELY**
2. **CALL 911** – Request Ambulance with epinephrine
3. Continually monitor student's condition
4. Administer antihistamines & inhaler/bronchodilator as ordered by HCP (only RNs may administer)*

*Delegates are not authorized to administer antihistamines or bronchodilators per statute- N.J.S.A. 18A:40-12.6. Antihistamines & Inhaler-bronchodilators are not to be depended upon to treat a severe reaction (anaphylaxis)- **USE EPINEPHRINE**

If **MILD SYMPTOMS** From **MORE THAN ONE** Body System, **GIVE EPINEPHRINE**

For **MILD SYMPTOMS** From
a **SINGLE BODY SYSTEM**

Nose: Itchy or runny nose, sneezing
Mouth: Itchy mouth / throat
Skin: A few hives, mild itch
Gut: Mild nausea / stomach ache



Give antihistamines as ordered by healthcare provider.


Stay with person; alert emergency contacts.

Watch closely for changes.

If symptoms worsen, give epinephrine & call 911

TO INJECT EPINEPHRINE:

1. REMOVE AUTO-INJECTOR FROM PROTECTIVE CASE
2. REMOVE ALL PROTECTIVE CAPS
3. GRASP AUTO-INJECTOR, SWING AND PUSH FIRMLY AGAINST MIDDLE OF OUTER THIGH HOLD FIRMLY IN PLACE FOR 3 SECONDS (COUNT SLOWLY)
4. REMOVE AND MASSAGE THE INJECTION SITE FOR 10 SECONDS.



**PLEASE HAVE YOUR
CHILD'S DOCTOR
COMPLETE THE NEXT
FORM IF YOUR CHILD
HAS ASTHMA.**

Asthma Treatment Plan – Student

(This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders)



Sponsored by
AMERICAN LUNG ASSOCIATION
110 NEW JERSEY



(Please Print)

Name		Date of Birth	Effective Date
Doctor	Parent/Guardian (if applicable)		Emergency Contact
Phone	Phone	Phone	

HEALTHY (Green Zone) IIII➔



You have **all** of these:

- Breathing is good
- No cough or wheeze
- Sleep through the night
- Can work, exercise, and play

And/or Peak flow above _____

Take daily control medicine(s). Some inhalers may be more effective with a "spacer" – use if directed.

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Advair® HFA <input type="checkbox"/> 45, <input type="checkbox"/> 115, <input type="checkbox"/> 230	2 puffs twice a day
<input type="checkbox"/> Aerospas™	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Alvesco® <input type="checkbox"/> 80, <input type="checkbox"/> 160	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Dulera® <input type="checkbox"/> 100, <input type="checkbox"/> 200	2 puffs twice a day
<input type="checkbox"/> Flovent® <input type="checkbox"/> 44, <input type="checkbox"/> 110, <input type="checkbox"/> 220	2 puffs twice a day
<input type="checkbox"/> Qvar® <input type="checkbox"/> 40, <input type="checkbox"/> 80	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Symbicort® <input type="checkbox"/> 80, <input type="checkbox"/> 160	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Advair Diskus® <input type="checkbox"/> 100, <input type="checkbox"/> 250, <input type="checkbox"/> 500	1 inhalation twice a day
<input type="checkbox"/> Asmanex® Twisthaler® <input type="checkbox"/> 110, <input type="checkbox"/> 220	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Flovent® Diskus® <input type="checkbox"/> 50 <input type="checkbox"/> 100 <input type="checkbox"/> 250	1 inhalation twice a day
<input type="checkbox"/> Pulmicort Flexhaler® <input type="checkbox"/> 90, <input type="checkbox"/> 180	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Pulmicort Respules® (Budesonide) <input type="checkbox"/> 0.25, <input type="checkbox"/> 0.5, <input type="checkbox"/> 1.0	1 unit nebulized <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Singulair® (Montelukast) <input type="checkbox"/> 4, <input type="checkbox"/> 5, <input type="checkbox"/> 10 mg	1 tablet daily
<input type="checkbox"/> Other	
<input type="checkbox"/> None	

Remember to rinse your mouth after taking inhaled medicine.

If exercise triggers your asthma, take _____ puff(s) _____ minutes before exercise.

Triggers

Check all items that trigger patient's asthma:

- Colds/flu
- Exercise
- Allergens
 - Dust Mites, dust, stuffed animals, carpet
 - Pollen - trees, grass, weeds
 - Mold
 - Pets - animal dander
 - Pests - rodents, cockroaches
- Odors (Irritants)
 - Cigarette smoke & second hand smoke
 - Perfumes, cleaning products, scented products
 - Smoke from burning wood, inside or outside
- Weather
 - Sudden temperature change
 - Extreme weather - hot and cold
 - Ozone alert days
- Foods:
 - _____
 - _____
 - _____
- Other:
 - _____
 - _____
 - _____

This asthma treatment plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs.

CAUTION (Yellow Zone) IIII➔



You have **any** of these:

- Cough
- Mild wheeze
- Tight chest
- Coughing at night
- Other: _____

If quick-relief medicine does not help within 15-20 minutes or has been used more than 2 times and symptoms persist, call your doctor or go to the emergency room.

And/or Peak flow from _____ to _____

Continue daily control medicine(s) and ADD quick-relief medicine(s).

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	2 puffs every 4 hours as needed
<input type="checkbox"/> Xopenex®	2 puffs every 4 hours as needed
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Duoneb®	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Combivent Respimat®	1 Inhalation 4 times a day
<input type="checkbox"/> Increase the dose of, or add:	
<input type="checkbox"/> Other	

• If quick-relief medicine is needed more than 2 times a week, except before exercise, then call your doctor.

EMERGENCY (Red Zone) IIII➔



Your asthma is getting worse fast:

- Quick-relief medicine did not help within 15-20 minutes
- Breathing is hard or fast
- Nose opens wide • Ribs show
- Trouble walking and talking
- Lips blue • Fingernails blue
- Other: _____

And/or Peak flow below _____

Take these medicines NOW and CALL 911. Asthma can be a life-threatening illness. Do not wait!

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	4 puffs every 20 minutes
<input type="checkbox"/> Xopenex®	4 puffs every 20 minutes
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Duoneb®	1 unit nebulized every 20 minutes
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Combivent Respimat®	1 inhalation 4 times a day
<input type="checkbox"/> Other	

©2014 American Lung Association. This document is provided by the American Lung Association of New Jersey. The contents of this document are for informational purposes only and do not constitute a medical recommendation. The American Lung Association of New Jersey is not responsible for any adverse effects or injuries resulting from the use of this document. For more information, please contact the American Lung Association of New Jersey at 1-800-558-LUNG. This document is provided by the American Lung Association of New Jersey. The contents of this document are for informational purposes only and do not constitute a medical recommendation. The American Lung Association of New Jersey is not responsible for any adverse effects or injuries resulting from the use of this document. For more information, please contact the American Lung Association of New Jersey at 1-800-558-LUNG.

Permission to Self-administer Medication:

- This student is capable and has been instructed in the proper method of self-administering of the non-nebulized inhaled medications named above in accordance with NJ Law.
- This student is not approved to self-medicate.

PHYSICIAN/APN/PA SIGNATURE _____ DATE _____

Physician's Orders

PARENT/GUARDIAN SIGNATURE _____

PHYSICIAN STAMP

Asthma Treatment Plan – Student Parent Instructions



The PACNJ Asthma Treatment Plan is designed to help everyone understand the steps necessary for the individual student to achieve the goal of controlled asthma.

1. Parents/Guardians: Before taking this form to your Health Care Provider, complete the top left section with:

- Child's name
- Child's doctor's name & phone number
- Parent/Guardian's name & phone number
- Child's date of birth
- An Emergency Contact person's name & phone number

2. Your Health Care Provider will complete the following areas:

- The effective date of this plan
- The medicine information for the Healthy, Caution and Emergency sections
- Your Health Care Provider will check the box next to the medication and check how much and how often to take it
- Your Health Care Provider may check "OTHER" and:
 - ❖ Write in asthma medications not listed on the form
 - ❖ Write in additional medications that will control your asthma
 - ❖ Write in generic medications in place of the name brand on the form
- Together you and your Health Care Provider will decide what asthma treatment is best for your child to follow

3. Parents/Guardians & Health Care Providers together will discuss and then complete the following areas:

- Child's peak flow range in the Healthy, Caution and Emergency sections on the left side of the form
- Child's asthma triggers on the right side of the form
- Permission to Self-administer Medication section at the bottom of the form: Discuss your child's ability to self-administer the inhaled medications, check the appropriate box, and then both you and your Health Care Provider must sign and date the form

4. Parents/Guardians: After completing the form with your Health Care Provider:

- Make copies of the Asthma Treatment Plan and give the signed original to your child's school nurse or child care provider
- Keep a copy easily available at home to help manage your child's asthma
- Give copies of the Asthma Treatment Plan to everyone who provides care for your child, for example: babysitters, before/after school program staff, coaches, scout leaders

PARENT AUTHORIZATION

I hereby give permission for my child to receive medication at school as prescribed in the Asthma Treatment Plan. Medication must be provided in its original prescription container properly labeled by a pharmacist or physician. I also give permission for the release and exchange of information between the school nurse and my child's health care provider concerning my child's health and medications. In addition, I understand that this information will be shared with school staff on a need to know basis.

Parent/Guardian Signature

Phone

Date

FILL OUT THE SECTION BELOW ONLY IF YOUR HEALTH CARE PROVIDER CHECKED PERMISSION FOR YOUR CHILD TO SELF-ADMINISTER ASTHMA MEDICATION ON THE FRONT OF THIS FORM.

RECOMMENDATIONS ARE EFFECTIVE FOR ONE (1) SCHOOL YEAR ONLY AND MUST BE RENEWED ANNUALLY

- I do request that my child be **ALLOWED** to carry the following medication _____ for self-administration in school pursuant to N.J.A.C.:6A:16-2.3. I give permission for my child to self-administer medication, as prescribed in this Asthma Treatment Plan for the current school year as I consider him/her to be responsible and capable of transporting, storing and self-administration of the medication. Medication must be kept in its original prescription container. I understand that the school district, agents and its employees shall incur no liability as a result of any condition or injury arising from the self-administration by the student of the medication prescribed on this form. I indemnify and hold harmless the School District, its agents and employees against any claims arising out of self-administration or lack of administration of this medication by the student.
- I **DO NOT** request that my child self-administer his/her asthma medication.

Parent/Guardian Signature

Phone

Date